

1 / 36




Figure 1

2 / 36





Figure 2

3 / 36



**Figure 3A**

From Figure 3A

4 / 36





Figure 3B

FIG.-3A

FIG.-3B


FIG.-3



31°C = Pre-selected temperature  
31 1/2°C = Upper variance set point  
30 1/2°C = Lower variance set point


Figure 4

6 / 36




**Figure 5A**

7 / 36




**Figure 5B**



**Figure 5C**


8 / 36



**Figure 5D**




9 / 36




**Figure 5E**

10 / 36





**Figure 5F**

11 / 36




**Figure 5G**

12 / 36







14 / 36




**Figure 7A**



**Figure 7B**



**Figure 7C**



**Figure 7D**




Figure 8



17 / 36





Figure 9








Figure 10B

20 / 36




**Figure 10C**

21 / 36



**Figure 10D**




**Figure 12A**


**Figure 12B**




**Figure 11A**




**Figure 11B**











25 / 36









Figure 13E

26 / 36





28 / 36




Figure 14D





Figure 14E



30 / 36

**Figure 15A**








Figure 15B









**Figure 15D**


34 / 36



**Figure 16A**




**Figure 16B**




**Figure 16C**


35 / 36




**Figure 17A**




**Figure 17B**



**Figure 18A**



**Figure 18B**



**Figure 18C**